

FINAL REPORT

GRANT NAG2-153

"Pioneer 10 and 11 Data Analysis"

January 1, 1982 through September 30, 1996

Prepared by

Walker Fillius

Center for Astrophysics and Space Science

University of California, San Diego

for

PIONEER PROJECT OFFICE

NASA AMES RESEARCH CENTER

APR 08 1997

C.A.S.I.

Cosmic Ray Measurements from the UCSD Instruments  
on Pioneers 10 and 11

Walker Fillius  
University of California San Diego  
UCSD/CASS/0424, La Jolla, CA 92093  
619-534-3315;  
e-mail: wfillius@ucsd.edu

SUMMARY

This report finishes the work of NASA Grant NAS2-153, which supported data analysis for the UCSD instruments on Pioneers 10 and 11. The data analyzed under this grant span 22 years of interplanetary measurements in the inner and outer heliosphere. The UCSD instruments made their mark in cosmic ray research based upon their high energy thresholds, directional responses, and reliable data streams. One of their primary scientific objectives concerns the size, configuration, and time behavior of the heliosphere. The size scale is inferred from the radial intensity gradient, which is measured between the two spacecraft and extrapolated to interstellar intensity levels at the cosmic ray modulation boundary. This boundary still eludes us, and its position, motion, and the best method of extrapolation are ongoing problems. Current projections place the boundary beyond 100 AU, which may be beyond the termination shock, and raises the question of possible modulation in the heliosheath. Probably our only hope of seeing this region in the immediate future rides on the possibility that the boundary will move inward. Our instruments have recorded many Forbush, or transient, decreases in the outer heliosphere. These observations led us to a model that attributes many of the decreases to solar wind stream-stream interactions, and relates the cosmic ray variations to the locally observed magnetic field magnitude. As the cosmic ray variations in this model result only from topological changes in the modulation integral, the model is a tool for studying the possibility that the 11 year cosmic ray modulation cycle can be accounted for by a superposition of Forbush decreases. The cosmic ray angular distribution function is measurable, given a good telemetry rate, by the UCSD Cerenkov detector which counts particles of energy greater than 500 MeV/n. We obtained statistically significant samples from 1 to 9 AU, at 13 AU, and at 34 AU. The anisotropy tends to be a few tenths of a per cent at all radial distances. A quasiperiodic variation in the east-west anisotropy with period of about 50 days remains unexplained.

## SPACECRAFT

Pioneer 10 was launched on March 3, 1972, and encountered Jupiter in December, 1973. Since the encounter, it has been on an escape trajectory from the solar system, and at the end of 1990 it was at a distance of about 51 AU from the sun, a celestial latitude of +3 degrees, and a celestial longitude (measured eastward from the vernal equinox) of 73 degrees.

Pioneer 11 was launched on April 6, 1973, encountered Jupiter in December, 1974, and Saturn in September, 1979. Since the Saturn encounter, it has been on an escape trajectory from the solar system, and at the end of 1990 it was at a distance of about 32 AU from the sun, a celestial latitude of +16 degrees, and a celestial longitude (measured eastward from the vernal equinox) of 265 degrees.

Both spacecraft were instrumented with a full suite of instruments for fields and particles, including magnetometer, plasma sensors, and four energetic particle and cosmic ray instruments. Other instruments included an ultraviolet photometer, infrared photometer, imaging photopolarimeter, and micrometeoroid detector. The spacecraft are spin stabilized, with the spin axis oriented toward the earth.

## INVESTIGATION OBJECTIVES

The UCSD instruments on Pioneers 10 and 11 were originally intended and designed to measure trapped radiation; hence the name, Trapped Radiation Detector, or UCSD TRD. However, being detectors for energetic charged particles, they count cosmic rays quite well, and are particularly well suited to study the following aspects of cosmic ray modulation: (a) the cosmic ray gradient, (b) transient events, (c) the heliospheric configuration, (d) the cosmic ray angular distribution function. The motivation is to use cosmic rays as tracers of the heliospheric magnetic field configuration, solar wind interaction regions, solar wind termination boundary, etc. This information, of course, helps describe the earth's neighborhood, and also gives a detailed look at one star's outer atmosphere.

## DATA ARCHIVES

The entire data set for each spacecraft, from launch to the end of coverage, is archived in the National Space Science Data Center. The archival data sets consist of half-hour averages, and are in an SFDU format approved by the NSSDC, which is committed to preserve them in perpetuity. Additionally, the encounter data sets are archived at the NSSDC.

## INSTRUMENTATION

The Trapped Radiation Detector package on Pioneers 10 and 11 includes five different sensors (C, E, M, SP, and SE). Three (C, E, and M) are operated in a pulse mode, and three (C, SP, and SE) are read out through an electrometer. The pulses are counted above three integral discriminators whose thresholds are in the ratio 1 : 2.12 : 4.5. The electrometer data channels are too insensitive to be useful in interplanetary space.

The P.I. and his team at UCSD have done extensive testing and calibrations of the flight sensors and surrogates. The following tables give the best known values for the attributes of each channel for each spacecraft immediately after launch. However, it is often impossible to anticipate and cover all flight conditions and to predict actual responses precisely. The calibration data given here have been adequate to support the P.I.'s work covered in this report, but they must be regarded as representative, and not necessarily precise enough for any unanticipated use.

\*\*\*\*\*  
 \*\*\*\*\*

Representative Characteristics  
 of the  
 UCSD Pioneer 10 Trapped Radiation Detector  
 from  
 Launch to Jupiter Encounter

\*\*\*\*\*  
 \*\*\*\*\*

Sensor Name	Channel Name	Discrimination Levels	Particle Response	Geometric Factor
C (Cerenkov Counter)	C1	31 photoelectrons	Electrons >6 MeV	11.5 sqcmsr
			Protons >480 MeV	15.5 sqcmsr
			Alphas >480 MeV/n	33 sqcmsr
			Heavies >480 MeV/n	85.7 sqcmsr
	C2	65 photoelectrons	Electrons >9 MeV	4.5 sqcmsr
			Protons >550 MeV	4.5 sqcmsr
			Alphas >550 MeV/n	25 sqcmsr
			Heavies >550 MeV/n	85.7 sqcmsr
	C3	135 photoelectrons	Electrons >13 MeV	0.5 sqcmsr
			Protons >650 MeV	0.47 sqcmsr
			Alphas >650 MeV/n	13.3 sqcmsr
			Heavies >650 MeV/n	85.7 sqcmsr
	CDC		Not functional	
E (Electron Scatter Detector)	E1H	0.089 MeV	Electrons >0.16 MeV	0.013 sqcmsr
			Nucleons >80 MeV/n	0.038 sqcm
	E2H	0.19 MeV	Electrons >0.255 MeV	0.0104 sqcmsr
			Nucleons >80 MeV/n	0.038 sqcm
	E3H	0.40 MeV	Electrons >0.46 MeV	0.0057 sqcmsr
			Nucleons >80 MeV/n	0.038 sqcm
M (Minimum Ionizing Particle Counter)	M1H	0.40 MeV	Nucleons >80 MeV/n	0.038 sqcm
			Electrons >35 MeV	0.038 sqcm
	M2H	0.85 MeV	Nucleons >80 MeV/n	0.038 sqcm
			Electrons	nil
	M3H	1.77 MeV	Nucleons >80 MeV/n	0.038 sqcm
			Electrons	nil
SP (Scintil- lator)	SPDC		Not functional	
SE (Scintil- lator)	SEDC		Not functional	

\*\*\*\*\*  
 \*\*\*\*\*

\*\*\*\*\*  
 \*\*\*\*\*

Representative Characteristics  
 of the  
 UCSD Pioneer 11 Trapped Radiation Detector  
 from  
 Launch to Jupiter Encounter

\*\*\*\*\*

Sensor Name	Channel Name	Discrimination Levels	Particle Response	Geometric Factor
*****				
C (Cerenkov Counter)	C1	31 photoelectrons	Electrons >5 MeV	13.5 sqcmsr
			Protons >480 MeV	17.8 sqcmsr
			Alphas >480 MeV/n	34.5 sqcmsr
			Heavies >480 MeV/n	85.7 sqcmsr
	C2	65 photoelectrons	Electrons >8 MeV	5.9 sqcmsr
			Protons >550 MeV	6.5 sqcmsr
			Alphas >550 MeV/n	27 sqcmsr
			Heavies >550 MeV/n	85.7 sqcmsr
	C3	135 photoelectrons	Electrons >12 MeV	1.0 sqcmsr
			Protons >650 MeV	0.93 sqcmsr
			Alphas >650 MeV/n	15.8 sqcmsr
			Heavies >650 MeV/n	85.7 sqcmsr
	CDC	10**-13 to 10**-5 amp	Electrons >1 MeV	35 sqcmsr
E (Electron Scatter Detector)	E1H	0.089 MeV	Electrons >0.16 MeV	0.013 sqcmsr
	E2H	0.19 MeV	Nucleons >80 MeV/n	0.038 sqcm
			Electrons >0.255 MeV	0.0104 sqcmsr
	E3H	0.40 MeV	Nucleons >80 MeV/n	0.038 sqcm
			Electrons >0.46 MeV	0.0057 sqcmsr
M (Minimum Ionizing Particle Counter)	M1H	0.40 MeV	Nucleons >80 MeV/n	0.038 sqcm
			Electrons >35 MeV	0.038 sqcm
	M2H	0.85 MeV	Nucleons >80 MeV/n	0.038 sqcm
			Electrons	nil
	M3H	1.77 MeV	Nucleons >80 MeV/n	0.038 sqcm
SP (Scintillator)	SPDC	10**-14 to 10**-5 amp	Protons >150 keV	7.4*10**-23 amp/evsqmsrs
			Electrons >10 keV	7.4*10**-23 amp/evsqmsrs
SE (Scintillator)	SEDC	10**-14 to 10**-5 amp	Protons >150 keV	2*10**-24 amp/evsqmsrs
			Electrons >10 keV	1.4*10**-23 amp/evsqmsrs

\*\*\*\*\*  
 \*\*\*\*\*

## THE TRD AS A COSMIC RAY INSTRUMENT

Although there are other cosmic ray instruments aboard the Pioneer 10 and 11 spacecraft, the UCSD Trapped Radiation Detector has made a niche for itself because it offers several advantages which are unique among the instruments on board. The UCSD Cerenkov counter (detector C) has a high energy threshold, a capability for measuring anisotropies, good statistics and time resolution, and an unbroken reliability record. Its water-alcohol radiator gives it a velocity threshold of  $2/3$  the speed of light. In the cosmic ray environment it detects nuclei of energy above about 500 MeV/nucleon. This threshold is the highest on board the spacecraft, and puts the output of this detector in a range where long-term modulation stands out without many of the local and transient effects seen at lower energies. Also, this threshold is more nearly comparable to neutron monitors than any other currently in space.

Besides the Cerenkov counter, the UCSD Radiation Detector package contains a shielded solid state detector (detector M) which is useful for cosmic ray studies. The energy threshold of this detector is 80 MeV/nucleon, which is not unique; nor are the statistics outstanding. However, it has an exceptional record of reliability and longevity. Along with the Cerenkov detector, it has a continuous data record from launch to the 1990's, when declining power output from the spacecraft forced the TRD to be turned off.

Although the UCSD sensors have not been calibrated on a heavy ion beam, the importance of heavy particles in cosmic rays led us to estimate the relative responses of our main cosmic ray channels to protons and heavy nuclei. The following table summarizes the relative proportions of the observed counting rates from protons and heavier elements in the cosmic radiation during the period from launch to Jupiter encounter.

Comparative Cosmic Ray Responses of Four UCSD Data Channels

	Z = 1 Energy Range	Relative Response (Ratio)	Z > 1 Energy Range
M3L	80<E<300 MeV	50 : 50	>80 MeV/nucl
M1L	>80 MeV	90 : 10	>80 MeV/nucl
C1	>500 MeV	80 : 20	>500 MeV/nucl
C3	>500 MeV	30 : 70	>500 MeV/nucl

## SCIENTIFIC RESULTS

The documented scientific results of this project are contained in a series of papers, referenced below. Some work-in-progress is named as well, on the hope that it may be finished with other support. The list is broken at the year 1982, the starting year of NASA Grant NASG2-153. Obviously, the papers written before 1982 were not supported by this grant, but by its antecedents. They are included here in order to embrace the entire project of which this grant was a part. Papers written since 1982 were supported, all or in part, by Grant NASG2-153.

### PAPERS WRITTEN SINCE 1982

Fillius, Walker, "Cosmic Ray Measurements from the UCSD Instruments of Pioneers 10 and 11," Chapter in preparation for a book tentatively entitled, "Pioneer-10: 25 Years in Outer Space," 1997.

Fillius, Walker, "Measurements of the Cosmic Ray Angular Distribution Function in Three Dimensions From Pioneers 10 and 11," In Preparation, 1997.

Fillius, Walker, "A Stream-Stream Model for the August-October, 1991 Forbush Decrease in the Outer Heliosphere," Proceedings of the XXIII International Cosmic Ray Conference, Volume 3, pp 745-748, Calgary, Canada, 1993.

Fillius, Walker, "A Stream-Stream Model for Forbush Decreases in the Outer Heliosphere," Unpublished paper, 1992.

Van Allen, J.A., and R. Walker Fillius, "Propagation of a Large Decrease in Cosmic-Ray Intensity Past the Earth, Pioneer 11 at 34 AU, and Pioneer 10 at 53 AU," Geophysical Research Letters, Volume 19, Number 14, pp 1423-1426, July 24, 1992.

Blake, J.B., W.A. Kolasinski, R.W. Fillius, and E.G. Mullen, "Injection of Electrons and Protons With Energies of Tens of MeV Into L<3 on 24 March, 1991," Geophysical Research Letters, Volume 19, Number 8, pp 821-824, April 24, 1992.

Fillius, Walker, "Energy Dependence of Cosmic Ray Modulation Features Observed by Pioneers 10 and 11 During the Last Cycle," Proceedings of the 22nd International Cosmic Ray Conference, Volume 3, pp 382-385, Dublin, Ireland, 1991.

Fillius, Walker, "Time and Latitude Dependence of Cosmic Ray Modulation Features Observed by Pioneers 10 and 11 During the Last Cycle," Proceedings of the 22nd International Cosmic Ray Conference, Volume 3, pp 394-397, Dublin, Ireland, 1991.

Fillius, Walker, "Cosmic Ray Gradients in the Heliosphere," Advances in Space Research: The International Heliospheric



Study, Edited by M.A. Shea and E.J. Smith, Volume 9, Number 4, pp (4)209-(4)219, 1989.

Fillius, Walker, "Toward a Comprehensive Theory for the Sweeping of Trapped Radiation by Inert Orbiting Matter," Journal of Geophysical Research, Volume 93, Number A12, Pages 14,284-14,294, December 1, 1988.

Fillius, Walkër, "Observations of Cosmic Rays in the Outer Heliosphere," Proceedings of the 20th International Cosmic Ray Conference, Volume 3, pp 401-404, Moscow, U.S.S.R., 1987.

Fillius, Walker, "Energetic Cosmic Ray Observations by Pioneer 11 During the Voyager 2 Uranus Encounter," Contribution to an unpublished report by the Pioneer 10/11 PSG, February, 1986.

Taylor, H.A. Jr., J. Mihalov, E.W. Greenstadt, E.J. Smith, S.J. Bame, R.W. Fillius, R.E. McGuire, R.J. Hynds, D. Hovestadt, "Solar and Interplanetary Variations Observed During STIP XIII," Proceedings of STIP Symposium on Retrospective Analyses and Future Coordinated Intervals, Les Diablerets, Switzerland, June, 1985.

Fillius, Walker, Ian Axford, and David Wood, "Time and Energy Dependence of the Cosmic Ray Gradient in the Outer Heliosphere," Proceedings of the 19th International Cosmic Ray Conference, Volume 5, pp 189-192, La Jolla, U.S.A., 1985.

Fillius, Walker, E.C. Roelof, Edward J. Smith, David Wood, and Wing-Huen Ip, "Gradients and Anisotropies of High Energy Cosmic Rays in the Outer Heliosphere," Proceedings of the 19th International Cosmic Ray Conference, Volume 5, pp 1-4, La Jolla, U.S.A., 1985.

Northrop, T.G., and Walker Fillius, "Electrons and Cosmic Ray Produced Protons in Saturn's Inner Magnetosphere," Journal of Geophysical Research, Volume 90, Number A12, Pages 12,085-12,094, December 1, 1985.

Akasofu, S.-I., W. Fillius, Wei Sun, C. Fry, and M. Dryer, "A Simulation Study of Two Major Events in the Heliosphere During the Present Sunspot Cycle," Journal of Geophysical Research, Volume 90, Number A9, Pages 8193-8211, September 1, 1985.

Mendis, D.A., J.R. Hill, W. Fillius, and T.G. Northrop, "A Note on Jupiter's 'Gossamer' Ring," Unpublished Manuscript, May, 1985.

Fillius, Walker, and Ian Axford, "Reply" to a Comment by Lockwood and Webber, Journal of Geophysical Research, Volume 90, Number A11, Pages 11,103-11,104, November, 1, 1985.

Fillius, Walker, and Ian Axford, "Large-Scale Solar Modulation of >500 MeV/Nucleon Galactic Cosmic Rays Seen From 1 to 30 AU,"

Journal of Geophysical Research, Volume 90, Number A1, Pages 517-520, January 1, 1985.

Fillius, Walker, Brian Wake, Wing-Huen Ip, and Ian Axford, "Cosmic Ray Gradients in the Outer Heliosphere," Proceedings of the 18th International Cosmic Ray Conference, Volume 3, pp 55-58, Bangalore, India, 1983.

Fillius, Walker, Wing-Huen Ip, and Ian Axford, "A 50-Day Periodicity in the Cosmic Ray Anisotropy," Proceedings of the 18th International Cosmic Ray Conference, Volume 3, pp 72-75, Bangalore, India, 1983.

#### PAPERS WRITTEN BEFORE 1982

Smith, Z.K., M. Dryer, R.W. Fillius, E.J. Smith, and J.H. Wolfe, "Compression of Jupiter's Magnetosphere by the Solar Wind: Reexamination via MHD Simulation of Evolving Corotating Interaction Regions," Journal of Geophysical Research, Volume 86, Number A8, Pages 6773-6780, August 1, 1981.

Fillius, W., M.F. Thomsen, J.A. Van Allen, W.-H. Ip, M. Acuna, and N.F. Ness, "Trapped Particle Absorption at the Ring of Jupiter," Unpublished Manuscript, 1981.

Fillius, Walker, and Carl McIlwain, "Very Energetic Protons in Saturn's Radiation Belt," Journal of Geophysical Research, Volume 85, Number A11, Pages 580-5811, November 1, 1980.

Fillius, W., W.-H. Ip, and C.E. McIlwain, "Trapped Radiation Belts of Saturn," Science, Volume 207, Pages 425-431, 25 January, 1980.

Fillius, Walker, and Paul Knickerbocker, "The Phase of the Ten-Hour Modulation in the Jovian Magnetosphere (Pioneers 10 and 11)," Journal of Geophysical Research, Volume 84, Number A10, Pages 5763-5772, October 1, 1979.

Smith, E.J., R. Walker Fillius, and John H. Wolfe, "Compression of Jupiter's Magnetosphere by the Solar Wind," Journal of Geophysical Research, Volume 83, Number A10, Pages 4733-4742, October 1, 1978.

Ip, W.-H., W. Fillius, A. Mogro-Campero, L.J. Gleeson, and W.I. Axford, "Quiet Time Interplanetary Cosmic Ray Anisotropies Observed From Pioneer 10 and 11," Journal of Geophysical Research, Volume 83, Number A4, Pages 1633-1640, April 1, 1978.

Fillius, Walker, Wing-Huen Ip, and Paul Knickerbocker, "Interplanetary Electrons: What is the Strength of the Jupiter Source?" Proceedings of the 15th International Cosmic Ray Conference, Volume 11, Pages 334-339, Plovdiv, Bulgaria, 1977.

Gold, R.E., S.M. Krimigis, E.C. Roelof, and R.W. Fillius, "The Relationship Between Jovian Electrons and Solar Wind Stream Structure," Proceedings of the 15th International Cosmic Ray Conference, Volume 5, Pages 220-225, Plovdiv, Bulgaria, 1977.

Axford, W.I., W. Fillius, L.J. Gleeson, and W.-H. Ip, "Cosmic-Ray Gradients From Pioneer-10 and Pioneer-11," The Astrophysical Journal 210:603-613, December 1, 1976.

Fillius, W., "The Trapped Radiation Belts of Jupiter," in "Jupiter," edited by Tom Gehrels, Pages 896-927, The University of Arizona Press, 1976.

Mogro-Campero, A., "Absorption of Radiation Belt Particles by the Inner Satellites of Jupiter," in "Jupiter," edited by Tom Gehrels, Pages 1190-1214, The University of Arizona Press, 1976.

Mogro-Campero, A., and Walker Fillius, "The Absorption of Trapped Particles by the Inner Satellites of Jupiter and the Radial Diffusion Coefficient of Particle Transport," Journal of Geophysical Research, Volume 81, Number 7, Pages 1289-1295, March 1, 1976.

Fillius, Walker, Carl McIlwain, Antonio Mogro-Campero, and Gerald Steinberg, "Evidence That Pitch Angle Scattering is an Important Loss Mechanism for Energetic Electrons in the Inner Radiation Belt of Jupiter," Geophysical Research Letters, Volume 3, Number 1, Pages 33-36, January, 1976.

Mogro-Campero, A., "Angular Momentum Transfer to the Inner Jovian Satellites," Nature, Volume 258, Pages 692-3, December 25, 1975.

Axford, W.I., W. Fillius, L.J. Gleeson, W-H. Ip, and A. Mogro-Campero, "Measurements of Cosmic Ray Anisotropies From Pioneers 10 and 11," Proceedings of the 14th International Cosmic Ray Conference, Volume 4, Pages 1519-1524, Munich, Germany, 1975.

Mogro-Campero, A., R.W. Fillius, and C.E. McIlwain, "Electrons and Protons in Jupiter's Radiation Belts," Space Research XV, Pages 521-528, Akademie-Verlag, Berlin, 1975.

Fillius, R. Walker, Carl E. McIlwain, and Antonio Mogro-Campero, "Radiation Belts of Jupiter: A Second Look," Science, Volume 188, Number 4187, Pages 465-467, 2 May, 1975.

McIlwain, Carl E., and R. Walker Fillius, "Differential Spectra and Phase Space Densities of Trapped Electrons at Jupiter," Journal of Geophysical Research, Volume 80, Number 10, Pages 1341-1345, April 1, 1975.

Fillius, R.W., and C.E. McIlwain, "Measurements of the Jovian Radiation Belts," Journal of Geophysical Research, Volume 79, Number 25, Pages 3589-3599, September 1, 1974.

Fillius, R. Walker, and Carl E. McIlwain, "Radiation Belts of Jupiter," Science, Volume 183, Pages 314-315, 25 January, 1974.

#### ORAL PRESENTATIONS

An important part of the scientific output from Grant NAG2-153 was in oral presentations to various scientific groups. These presentations are not so well documented as the written papers, and the list below is not complete. However, it is representative of the work performed. As with the list of written papers, the presentations before 1982 were not supported by this grant, but by its antecedents. They are included here in order to embrace the entire project of which this grant was a part. Presentations since 1982 were supported, all or in part, by Grant NASG2-153.

#### PRESENTATIONS SINCE 1982

Fillius, Walker, "A Stream-Stream Model for the August-October, 1991 Forbush Decrease in the Outer Heliosphere," Presented at the XXIII International Cosmic Ray Conference, Calgary, Canada, 1993.

Blake, J.B., M.S. Gussenhoven, E.G. Mullen, and R.W. Fillius, "Identification of an Unexpected Electron Space Radiation Hazard," Presentation to the 29th International Nuclear and Space Radiation Effects Conference, New Orleans, 1992.

Fillius, Walker, "Search for the Cosmic Ray Modulation Boundary," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1991.

Blake, J.B., W.A. Kolasinski, R.W. Fillius, and E.G. Mullen, "Energetic Ion and Electron Observations Made Aboard CRRES - 21 March to 9 April," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1991.

Fillius, Walker, "Energy Dependence of Cosmic Ray Modulation Features Observed by Pioneers 10 and 11 During the Last Cycle," Presented at the 22nd International Cosmic Ray Conference, Dublin, Ireland, 1991.

Fillius, Walker, "Time and Latitude Dependence of Cosmic Ray Modulation Features Observed by Pioneers 10 and 11 During the Last Cycle," Presented at the 22nd International Cosmic Ray Conference, Dublin, Ireland, 1991.

Fillius, Walker, "Cosmic Rays in the Outer Heliosphere During the New Solar Cycle," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1989.

Fillius, W., J.F. Cooper, and R.B. McKibben, "Review of Pioneer 11 Data for High Energy Trapped Radiation in Saturn's Magnetosphere," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1988.

Fillius, W., "Toward a Comprehensive Theory of Satellite Sweeping," Presented at Uranus Colloquium, Pasadena, U.S.A., June 30, 1988.

Fillius, Walker, "Cosmic Rays in the Outer Heliosphere at Solar Minimum," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1987.

Northrop, T.G., D.A. Mendis, and W. Fillius, "On the Origin of Jupiter's Gossamer Ring," Presented at the Annual Spring Meeting of the American Geophysical Union, Baltimore, 1987.

Fillius, Walker, "Propagation of Cosmic Ray Disturbances in the Outer Heliosphere," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1986.

Fillius, Walker, and Edmond C. Roelof, "Local 'Quiet-Time' Radial Gradients of Galactic Cosmic Rays from Single Spacecraft Measurements," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1985.

Fillius, Walker, Ian Axford, and David Wood, "Time and Energy Dependence of the Cosmic Ray Gradient in the Outer Heliosphere," Presented at the 19th International Cosmic Ray Conference, La Jolla, U.S.A., 1985.

Fillius, Walker, E.C. Roelof, Edward J. Smith, David Wood, and Wing-Huen Ip, "Gradients and Anisotropies of High Energy Cosmic Rays in the Outer Heliosphere," Presented at the 19th International Cosmic Ray Conference, La Jolla, U.S.A., 1985.

Akasofu, S.-I., and W. Fillius, "Modeling of Intense Heliospheric Disturbances in April-May, 1978 and June-August, 1982," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1984.

Fillius, W., D.S. Intrilligator, M.E. Pesses, and B.T. Tsurutani, "Five MeV Electrons in Coincidence With an Interplanetary Shock," Presented at the Annual Spring Meeting of the American Geophysical Union, San Francisco, 1983.

Fillius, Walker, Brian Wake, Wing-Huen Ip, and Ian Axford, "Cosmic Ray Gradients in the Outer Heliosphere," Presented at the 18th International Cosmic Ray Conference, Bangalore, India, 1983.

Fillius, Walker, Wing-Huen Ip, and Ian Axford, "A 50-Day Periodicity in the Cosmic Ray Anisotropy," Presented at the 18th International Cosmic Ray Conference, Bangalore, India, 1983.

#### INVITED PRESENTATIONS SINCE 1982

Fillius, Walker, "Cosmic Ray Measurements from the UCSD Instruments on Pioneers 10 and 11," Invited paper presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1994.

Fillius, Walker, "Cosmic Ray Gradients in the Heliosphere," Invited paper presented to the COSPAR Twenty-Seventh Plenary Meeting held in Espoo, Finland, 1988.

#### PRESENTATIONS BEFORE 1982

Smith, Z.K., M. Dryer, W. Fillius, E.J. Smith, and J.H. Wolfe, "Compression of Jupiter's Magnetosphere by the Solar Wind: Re-Examination via MHD Simulation of Evolving Corotating Interaction Regions," Presented at the Annual Spring Meeting of the American Geophysical Union, Baltimore, 1981.

Fillius, W., "A 50 Day Periodicity in the Cosmic Ray Anisotropy," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1980.

Fillius, W., M.F. Thomsen, J.A. Van Allen, W.-H. Ip, M. Acuna, and N. Ness, "Trapped Particle Absorption by the Rings of Jupiter and Saturn," Presented at IAU Colloquium 57--The Satellites of Jupiter, Hawaii, 1980.

Fillius, W., W.-H. Ip, and Carl E. McIlwain, "The Trapped Radiation Belt of Saturn," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1979.

Fillius, W., and P. Knickerbocker, "The Phase of the 10-Hour Modulation in the Jovian Magnetosphere," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1978.

Ip, W.-H., W. Fillius, and W.I. Axford, "Tailward Source Region and Source Strength of Jovian Electrons," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1978.

Fillius, W., W.-H. Ip, and W.I. Axford, "Interplanetary Propagation of Jovian Electrons," Presented at the Sixth European Cosmic Ray Symposium, Kiel, Germany, 1978.

Fillius, W., W.-H. Ip, and W.I. Axford, "Pioneer 10 and 11 Observations of Interplanetary Cosmic Ray Anisotropies," Presented at the Sixth European Cosmic Ray Symposium, Kiel, Germany, 1978.

Smith, E.J., R.W. Fillius, and J.H. Wolfe, "Compression of Jupiter's Magnetosphere by the Solar Wind," Presented at the Annual Spring Meeting of the American Geophysical Union, Miami Beach, 1978.

Fillius, Walker, Wing-Huen Ip, and Paul Knickerbocker, "Interplanetary Electrons: What is the Strength of the Jupiter Source?" Presented at the 15th International Cosmic Ray Conference, Plovdiv, Bulgaria, 1977.

Gold, R.E., S.M. Krimigis, E.C. Roelof, and R.W. Fillius, "The Relationship Between Jovian Electrons and Solar Wind Stream Structure," Presented at the 15th International Cosmic Ray Conference, Plovdiv, Bulgaria, 1977.

W. Fillius, W.-H. Ip, and P. Knickerbocker, "Interplanetary Electrons: What is the Strength of the Jupiter Source?" Presented at the Annual Spring Meeting of the American Geophysical Union, Washington, D.C., 1977.

Gold, R.E., E.C. Roelof, S.M. Krimigis, and R.W. Fillius, "Ordering of Jovian Electron Propagation by Large Scale Solar Wind Structure, 1965-75," Presented at the Annual Spring Meeting of the American Geophysical Union, Washington, D.C., 1977.

Axford, W.I., W. Fillius, L.J. Gleeson, W-H. Ip, and A. Mogro-Campero, "Measurements of Cosmic Ray Anisotropies From Pioneers 10 and 11," Presented at the 14th International Cosmic Ray Conference, Munich, Germany, 1975.

Fillius, W., "The Inner Magnetosphere of Jupiter," Presented at the International Symposium on Solar-Terrestrial Physics, Boulder, Colorado, June, 1976.

Fillius, R.W., C.E. McIlwain, and A. Mogro-Campero, "Radiation Belts of Jupiter: A Second Look," Presented at the Annual Spring Meeting of the American Geophysical Union, Washington, D.C., 1975.

Mogro-Campero, A., Fillius, R.W., and G.W. Steinberg, "Trapped Particle Phenomena in the Inner Magnetosphere of Jupiter," Presented at the Annual Spring Meeting of the American Geophysical Union, Washington, D.C., 1975.

Mogro-Campero, Antonio, and R. Walker Fillius, "The Radial Diffusion Coefficient of Particle Transport in the Inner Magnetosphere of Jupiter," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1974.

Axford, W.I., R.W. Fillius, L.J. Gleeson, and A. Mogro-Campero, "Anisotropy Measurements of Relativistic Cosmic Rays," Invited paper presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1974.

Fillius, R. Walker, and Carl E. McIlwain, "The Radiation Belts of Jupiter," Presented at the Annual Spring Meeting of the American Geophysical Union, Washington, D.C., 1974.

McIlwain, C.E., and R.W. Fillius, "Trapped Electron Absorption and Injection by the Jovian Satellites," Presented at the Annual Spring Meeting of the American Geophysical Union, Washington, D.C., 1974.

Axford, W.I., W. Fillius, L.J. Gleeson, and W.-H. Ip, "Cosmic Ray Gradients and Anisotropies," Presented at the Annual Spring Meeting of the American Geophysical Union, Washington, D.C., 1974.

Fillius, R. Walker, and Carl E. McIlwain, "The Radiation Belts of Jupiter, Preliminary Report," Presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1973.

#### INVITED PRESENTATIONS BEFORE 1982

Fillius, W., and C. McIlwain, "The Energetic Trapped Radiation Belts of Saturn," Invited paper presented at the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1980.

Fillius, W., "In Situ Observations," Invited review presented at the Conference on the Physics of the Jovian Magnetosphere, Rice University, Houston, February, 1980.

Fillius, W., "Energetic Particles Budget for the Jovian Magnetosphere," Invited paper presented at the Workshop on the Structure and Dynamics of the Jovian Magnetosphere, Lindau, Germany, July, 1977.

Fillius, R.W., C.E. McIlwain, and A. Mogro-Campero, "Preliminary Results From the UCSD Trapped Radiation Detector on Pioneer 11," Invited presentation to the Annual Fall Meeting of the American Geophysical Union, San Francisco, 1974.

Fillius, R. Walker, "Results From the Pioneer 10 Trapped Radiation Detector," Invited presentation to the Neil Brice Memorial Symposium, Frascati, Italy, May, 1974.

Fillius, R. Walker, "Jovian Radiation Belts," Invited presentation to the Royal Astronomical Society, London, 24 May, 1974.